Linkface

Version	1
Total page	5
Date	2019/08/07

Product Specification

RZT Series Zero Bezel Type Touch Monitor

Model: RZT-104-F8-PEG1U_V1

10.4", 4:3, Resolution: 800x600 SVGA

PCAP Type Touch Screen, LED Back Light

Signal Input: HDMI / DVI / VGA

Approval

Issue by	R & D	QA	ME	Approve by
Lian		Dennis	Jamie	

The content of this specification is subject to change without notice
All rights strictly reserved. Any portion of this paper shall not be reproduced, copied, or transformed to any other forms without permission from Linkface Tech. Inc.,

Linkface Technology, Inc.
5F, No. 27, Lane 66, Jui-Kuang Rd, Neihu, Taipei, Taiwan
TEL : (02)2795-6800 FAX : (02)2795-4566 web: www.linkface.com.tw

Record of Revision

Version	Revise Date	Page	Content
1	2019/08/07	-	First edition V1

Linkface
Linkface
Linkface

Zero Bezel PCAP Monitor

10.4” (4:3)

Specifications	
Model Number	RZT-104-F8-PEG1U_V1
Size	10.4" (4:3)
Input Signal	HDMI / DVI / VGA
Active Display Area (mm)	211.2 (H) x 158.4 (V)
Overall Dimension (mm)	256.2 (W) x 203.7 (H) x 38 (D)
Driver Element	a-Si TFT active matrix
Resolution	800 x 600
Contrast Ratio	400 : 1 (typ.)
Brightness (cd/m^2)	360(nits)
Viewing Angle (CR>=10)	60 / 70 / 70 / 70
Response Time (ms)	25
Operation Power Supply	12VDC (Standard) 24VDC (Optional)
Operating Temperature (°C)	-10～70
Storage Temperature (°C)	-20～70
Back Light Life Time (Hr)	30k (To half brightness)
Surface Treatment	Anti-Glare, 6H. Glass Lens.
Power Consumption	8W
Touch screen	Projective Capacitance Type Touch Screen in USB Interface.

Mechanical Drawing


4-R3.7
AA CENTER
AA 158.4
VA 158.7
203.7±0.3
AA 211.2
VA 211.2
256.2±0.3
15
38
4-M4 for VESA Mount
Max. Depth: 3mm
118.3
75
69
6
75.8
CH
MENU
COL/-
AUTO/+
ON/OFF
ON POWER OFF
TOUCH
DC IN
DVI-I
HDMI
VGA
AUDIO
L IN R OUT
254.6
23

(Optional Monitor Stand, Model: MS-L02)

REMARK: SPECIFICATION AND PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE!
PLEASE CONFIRM TO THE SALES DEPARTMENT FOR PRICE AND DELIVERY BEFORE ORDER!