Linkface

Version	1
Total page	4
Date	2019/11/19

Product Specification

TFT LCD Panel

Model: LM-080-BSL_V1

8.0", 4:3, Resolution: 800x600 SVGA

LED Backlight, Interface: 24 Bit

Approval

Issue by	R & D	QA	ME	Approve by
Liam		Dennis	Janice	

The content of this specification is subject to change without notice
All rights strictly reserved. Any portion of this paper shall not be reproduced, copied, or transformed to any other forms without permission from Linkface Tech. Inc.,

Linkface Technology, Inc.
5F, No. 27, Lane 66, Jui-Kuang Rd, Neihu, Taipei, Taiwan
TEL : (02)2795-6800 FAX : (02)2795-4566 web: http://www.linkface.com.tw

Record of Revision

Version	Revise Date	Page	Content
1	2019/11/19	-	First edition V1

LinkFace LinkFace LinkFace

LCD Panel

8.0” (4:3)

Specifications	
Model Number	LM-080-BSL_V1
Size	8.0" (4:3)
Interface	24 Bit
Active Display Area (mm)	162 (H) x 121.5 (V)
Overall Dimension (mm)	183 (W) x 141 (H) x 10.6 (D)
Driver Element	a-Si TFT Active Matrix
Resolution	800 x 600
Contrast Ratio	500 : 1 (typ.)
Brightness (cd/m^2)	350 (nits)
Viewing Angle (CR>=10)	50 / 70 / 70 / 70
Response Time (ms)	25
Operating Temperature (°C)	-20~70
Storage Temperature (°C)	-30~80
Backlight Life Time (Hr)	20k (To half brightness)
Surface Treatment	Anti-Glare
Power Consumption	2.1W

Mechanical Drawing



REMARK: SPECIFICATION AND PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE!

PLEASE CONFIRM TO THE SALES DEPARTMENT FOR PRICE AND DELIVERY BEFORE ORDER!