Version	1
Total page	4
Date	2019/12/26

Product Specification

LMT Series Touch LCD Module

Model: LMT-090-2WL-R41_V1

9.0", 16:9, Resolution: 800x480 WVGA

4 wire Resistor Type Touch Screen, LED Backlight

Approval

Issue by	R & D	QA	ME	Approve by
Liam	Ted	Dennis	Jamie	

The content of this specification is subject to change without notice

All rights strictly reserved. Any portion of this paper shall not be reproduced, copied, or transformed to any other forms without permission from Linkface Tech. Inc.,

Linkface Technology, Inc.
5F, No. 27, Lane 66, Jui-Kuang Rd, Neihu, Taipei, Taiwan
TEL : (02)2795-6800 FAX : (02)2795-4566 web: www.linkface.com.tw

Record of Revision

Version	Revise Date	Page	Content
1	2019/12/26	-	First edition V1

Linkface
Linkface
Linkface

4 wire Touch LCD Module

9.0” (16:9)

Specifications	
Model Number	LMT-090-2WL-R41_V1
Size	9.0" (16:9)
Interface	TTL
Active Display Area (mm)	198 (H) x 111.69 (V)
Overall Dimension (mm)	211.35 (W) x 127.17 (H) x 13.1 (D)
Driver Element	a-Si TFT Active Matrix
Resolution	800 x 480
Contrast Ratio	500 : 1 (Typ.)
Brightness (cd/m^2)	200 (nits)
Viewing Angle (CR>=10)	50 / 70 / 70 / 70
Response Time (ms)	25
Operating Temperature (°C)	-20～60
Storage Temperature (°C)	-30～70
Back Light Life Time (Hr)	20k (To half brightness)
Surface Treatment	Anti-Glare, 3H.
Power Consumption	2.56W
Touch Screen	4 wire Resistor Type Touch Screen. (Optional Interface board USB or RS232)

Mechanical Drawing



REMARK: SPECIFICATION AND PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE!

PLEASE CONFIRM TO THE SALES DEPARTMENT FOR PRICE AND DELIVERY BEFORE ORDER!